Published NHEERL Reports Related to Asbestos/Durable Fibers

Scientific Journal Publications

Coffin, D.L., P.M. Cook and J.P. Creason. 1992. Relative mesothelioma induction in rats by mineral fibers: comparison with residual pulmonary mineral fiber number and epidemiology. Inhal. Toxicol. 4: 273-300.

Palekar, L.D., B.M. Most, and D.L. Coffin. 1988. Significance of mass and number of fibers in the correlation of V79 cytotoxicity with tumorigenic potential of mineral fibers. Environ. Res. 46:142-152.

Palekar, L.D., J.F. Eyre, B.M. Most, and D.L. Coffin. 1987. Metaphase and anphase analysis of V79 cells exposed to erionite, UICC chrysotile, and UICC crocidolite. Carcinogenesis 8:553-560.

Cook, P.M. 1983. Review of published studies on gut penetration by ingested asbestos fibers. Environ. Health Perspect. 53:121-130.

Palekar, L.D., P.M. Cook, and D.L. Coffin. 1983. *In vitro* effects of mineral fibers. Environ. Health Perspect. 51:11-16.

Coffin, D.L., L.D. Palekar and P.M. Cook. 1983. Correlation of in vitro and in vivo methods by means of mass dose and fiber distribution for amosite and fibrous ferroactinolite. Environ. Health Perspect. 51:49-53.

Coffin, D.L., L.D. Palekar, and P.M. Cook. 1982. Tumorigenesis by a ferroactinolite mineral. Toxicol. Lett. 13:143-150.

Cook, P.M., L.D. Palekar, and D.L. Coffin. 1982. Interpretation of the carcinogenicity of amosite asbestos and ferroactinolite on the basis of retained fiber dose and characteristics *in vivo*. Toxicol. Lett. 13:151-158.

Batterman, A.R. and P.M. Cook. 1981. Determination of mineral fiber concentrations in fish tissues. Can. J. Fish. Aquat. Sci. 38:952-959.

Cook, P.M. 1979. Preparation of extrapulmonary tissues and body fluids for quantitative transmission electron microscope analysis of asbestos and other mineral particle concentrations. Ann. N.Y. Acad. Sci. 330:717-724.

Palekar, L.D., C.M. Spooner, and D.L. Coffin. 1979. Influence of crystallization habit of minerals on *in vitro* cytotoxicity. Ann. N.Y. Acad. Sci. 330:673-686.

Cook, P.M. and G.F. Olson. 1979. Ingested mineral fibers: Elimination in human urine. Science 204:195-198.

Cook, P.M., G.E. Glass, D.L. Marklund, and J.H. Tucker. 1978. Evaluation of cartridge filters for removal of small fibers from drinking water. J. Am. Water Works Assoc. 70:459-464.

Cook, P.M. 1975. Semi-quantitative determination of asbestiform amphibole mineral concentrations in western Lake Superior water samples. Adv. X-Ray Anal. 18:557-567.

Cook, P.M., G.E. Glass, and J.H. Tucker. 1974. Asbestiform amphibole minerals: Detection and measurement of high concentrations in municipal water supplies. Science 185:853-855.

Book Chapters and Other Reports

Coffin, D.L., L.D. Palekar, P.M. Cook, and J.P. Creason. 1989. Comparison of mesothelioma induction in rats by asbestos and non-asbestos mineral fibers: Possible correlation with human exposure data. In: Biological Interaction of Inhaled Mineral Fibers and Cigarette Smoke. Wehner and Felton (Eds.). Battelle Press, Columbus, OH, pp 347-354.

Coffin, D.L., S.E. Peters, L.D. Palekar, and E.P. Stahel. 1989. A study of the biological activity of erionite in relation to its chemical and structural characteristics. In: Biological Interaction of Inhaled Mineral Fibers and Cigarette Smoke. Wehner and Felton (Eds.). Battelle Press, Columbus, OH, pp 313-323.

Palekar, L.D., .F. Eyre, and D.L. Coffin. 1989. Chromosomal changes associated with tumorigenic mineral fibers. In: Biological Interaction of Inhaled Mineral Fibers and Cigarette Smoke. Wehner and Felton (Eds.). Battelle Press, Columbus, OH, pp 355-372.

Palekar, L.D., J.F. Eyre, and D.L. Coffin. 1989. Transplantation and chromosomal analysis of cell lines derived from mesotheliomas induced in rats with erionite and UICC chrysotile asbestos. In: Non-occupational exposure to mineral fibers, J. Peto and R. Saracci (Eds.). International Agency for Research on Cancer, Lyon, France, pp 161-172.

Palekar, L.D., B.G. Brown, and D.L. Coffin. 1985. Correlation between *in vivo* tumerigenesis and *in vitro* cytotoxicity in CHO and V79 cells after exposure to mineral fibers. In: Short Term Bioassays in the Analysis of Complex Environmental Mixtures IV, M.D. Waters (Ed.). Plenum Press, New York, NY, pp 155-169.

- Cook, P.M., G.J. Niemi, and D.R. Marklund. 1985. Mineral Fibers in Lake Superior: A Summary of Ten Years of Water Monitoring, 1973-1983. Report to U.S. EPA Great Lakes National Program Office, 50 pp.
- Carlson, A.R., J.A. Tucker, V.R. Mattson, G.L. Phipps, P.M. Cook, G.F. Olson, and F.A. Puglisi. 1982. Cadmium and endrin toxicity to fish in waters containing mineral fibers. EPA-600/3-82-053. National Technical Information Service, Springfield, VA.
- Chopra, K.S., D. Beaman, and P. Cook. 1982. Interlaboratory measurements of the chrysotile asbestos fiber and mass concentrations in water samples. In: Proceedings of the NBS/EPA Asbestos Standards Workshop. National Bureau of Standards Special Publication No. 619, U.S. Department of Commerce, Gaithersburg, MD. pp. 121-131.
- Cook, P.M. and D.L. Marklund. 1982. Sample preparation of asbestos fiber concentrations in air. In: Proceedings of the NBS/EPA Asbestos Standards Workshop. National Bureau of Standards Special Publication No. 619, U.S. Department of Commerce, Gaithersburg, MD. pp. 53-67.
- Cook, P.M. and D.L. Longrie. 1981. Determination of asbestos and other inorganic particle concentrations in urine. In: Electron Microscopy and X-ray Applications to Environmental and Occupational Health Analysis, Vol. 2. Russell, P.A. (Ed.). Ann Arbor Science Publishers, Ann Arbor, MI. pp. 219-231.
- Carlson, A.R., J.A. Tucker, V.R. Mattson, G.L. Phipps, P.M. Cook, G.F. Olson, and F.A. Puglisi. 1980. Cadmium and endrin toxicity to fish at three concentrations of taconite tailings and their component asbestiform minerals in Lake Superior water. (Project summary.)
- Cook, P.M. 1979. Discussion of fibrous materials in the occupational and non-occupational environment. In: Dusts and Disease. Leman, R. and J.M. Dement (Eds.). Pathotox Publishers, Inc., Park Forest South, IL. pp. 111-117.
- Coffin, D.L. and L.D. Palekar. 1978. EPA study of biological effects of asbestos-like mineral fibers. Proceedings of the Workshop on Asbestos: Definitions and Measurement Methods, Gaithersburg, MD, July 18-20, 1977. pp 163-177.
- Cook, P.M., P.L. Smith, and D.G. Wilson. 1978. Amphibole fiber concentration determination for a series of community air samples: Use of x-ray diffraction to supplement electron microscope analysis. In: Electron Microscopy and X-ray Applications to Environmental and Occupational Health Analysis. Russell, P.A. and A.E. Hutchings (Eds.). Ann Arbor Science Publishers, Ann Arbor, MI. pp. 107-119.

Cook, P.M., I.B. Rubin, C.J. Maggiore, and W.J. Nicholson. 1976. X-ray diffraction and electron beam analysis of asbestiform minerals in Lake Superior waters. EPA-600/J-76-014. The Institute of Electrical and Electronics Engineers, Inc., New York, NY. pp. 1-9.

Cook, P.M. 1975. Semi-quantitative determination of asbestiform amphibole mineral concentrations in western Lake Superior water samples. In: Advances in X-ray Analysis. Vol. 18. Pickles, W.L., C.S. Barrett, J.B. Newkirk, and C.O. Ruud (Eds.). Plenum Publishing, New York, NY. pp. 557-567.

Tucker, J.H., P.M. Cook, G.L. Phipps, G.N. Stokes, and P.H. Lima. 1978. Asbestos -- A bibliography. EPA-600/3-78-066. U.S. Environmental Protection Agency, Duluth, MN.

Cook, P.M. 1973. Distribution of taconite tailings in Lake Superior water and public water supplies. In: Studies Regarding the Effect of the Reserve Mining Company Discharge on Lake Superior. U.S. Environmental Protection Agency, Office of Enforcement and General Counsel. pp. 1495-1573.